

Message

From: Ferrell, Mark [Ferrell.Mark@epa.gov]
Sent: 4/24/2018 6:52:27 PM
To: rogers, rick [rogers.rick@epa.gov]
Subject: Re: Washington Works - GenX

Thank you Rick

Sent from my iPhone

On Apr 24, 2018, at 1:38 PM, rogers, rick <rogers.rick@epa.gov> wrote:

Scott,

Mark Ferrell forwarded to me your request for the actual results from Chemours' GenX testing in WV private and public water supply wells in February. We are pretty sure that when Chemours sent the data to each public and private well owner, they copied Yogesh. Please let me know if WVDEP does not have all of those results.

I don't believe that we have actual lat/long coordinates for sample sites, but addresses were included in the sampling reports sent to the well owners. **Ex. 5 Deliberative Process (DP)**

Ex. 5 Deliberative Process (DP)

Let me know if you have any questions.

Rick

Rick Rogers, Associate Director
Office of Drinking Water and Source Water Protection
Water Protection Division (3WP20)
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Ferrell, Mark
Sent: Tuesday, April 24, 2018 10:28 AM
To: McManus, Catharine <mcmanus.catharine@epa.gov>; Lueckenhoff, Dominique <Lueckenhoff.Dominique@epa.gov>; rogers, rick <rogers.rick@epa.gov>
Subject: Fw: Washington Works - GenX

Below is a request from DEP for more data. Please respond to M. Mandirola and copy me - thanks.

~Mark

From: Mandirola, Scott G <Scott.G.Mandirola@wv.gov>

Sent: Tuesday, April 24, 2018 9:34 AM

To: Ferrell, Mark

Subject: RE: Washington Works - GenX

Thanks, Ex. 5 Deliberative Process (DP) info may be helpful.

From: Ferrell, Mark <Ferrell.Mark@epa.gov>

Sent: Tuesday, April 24, 2018 9:33 AM

To: Mandirola, Scott G <Scott.G.Mandirola@wv.gov>

Subject: Re: Washington Works - GenX

Scott - I'll see what I can get sent your way.

Mark

Sent from my iPhone

On Apr 24, 2018, at 9:24 AM, Mandirola, Scott G <Scott.G.Mandirola@wv.gov> wrote:

Mark,

Thanks for the link, would it be possible to also get the specifics on the data (e.g. coordinates, which well had which result)? We need to see if there is a proximity to the plant pattern in the data, or some other explanation.

Scott

From: Ferrell, Mark <Ferrell.Mark@epa.gov>

Sent: Monday, April 23, 2018 11:12 AM

Subject: Washington Works - GenX

Good morning

EPA is making results of their most recent testing for GenX in Wood County public today at the website linked below.

[Statement for Washington Works GenX](#)

Protecting public health is EPA's highest priority. In January, to ensure the safety of drinking water, EPA requested the Chemours Company to sample for the perfluorinated compounds known as GenX in public and private water supply wells near its Washington Works, West Virginia facility. Chemours completed the requested sampling in March and the data is posted online at the following link:
:

<https://www.epa.gov/pfas/chemours-company-well-sampling-results>

At this time, no GenX was found in treated drinking water that came from contaminated wells. The agency is continuing to work with the West Virginia Department of Environmental Protection and the Ohio Environmental Protection Agency on this issue.

Sampling Information

-
Chemours sampled 14 wells for GenX. Of those wells sampled, all were equipped with granular activated carbon (GAC) treatment due to prior PFOA contamination. Before treatment, GenX was detected in the untreated water from 9 of 14 wells sampled at levels ranging from 16 ppt to 81 ppt. The highest concentration was detected in the Chemours plant drinking water well. Once the water went through the GAC treatment, GenX was not found at detectable levels. At the time of sampling, the GAC appeared to be effective on GenX.

~Mark